No.



9300019

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Co.
Cancreas, there has been presented to the

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic d of the variety in a public repository as provided by LAW, the right to exothers from selling the variety, or offering it for sale, or reproducing it, orting it, or exporting it, or using it in producing a hybrid or different therefrom, to the extent provided by the Plant Variety Protection Act 22, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'S62-66'

In Lestimony Watereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of October in the year of our Lord one thousand nine hundred and ninety-four.

Attest

Kenneth KErans

 $A \mapsto A \cap A \cap A \cap A \cap A$ 

Plant Variety Protection Office Agricultural Marketing Service Cive Est Socretary of Agriculture

Public reporting burden for his collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining he data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budge., Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARKETING SERV  APPLICATION FOR PLANT VARIETY PRO  (Instructions on reverse	di cu In	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGN	ATION OR 3.	VARIETY NAME		
Northrup King Co.	EXPERIMENTAL NO. X9161			S62-66		
4. AODRESS (street and no. or R.F.D. no., crty, state, and ZIP)		5. PHONE (include area	code)	FOR OFFICIAL USE ONLY		
				PQ NUMBER		
P. O. Box 949 Washington, Iowa 52353-0949		319-653-2181		9300019		
Attention: Dr. John C. Thorne			1	F Date		
7 544	LY NAME (Botanio	- 413		Nov. 12, 1992		
	puminosae	;a()		N 9:43 DAM □PM		
8 CROP KIND NAME (Common Name)	9	DATE OF DETERMINATION		F Filing and Examination Fee:		
		Norramban 1005		\$ 2150. €		
Soybean		November 1985		S Date 10 1007		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION Corporation	(Corporation, pari	nership, association, etc.)		R Nov. 10, 1992		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12 04	TE OF INCORPORATION		: 250.00		
Delaware		1976		E Oct. 4, 1994		
Dr. John C. Thorne Northrup King Co. P. O. Box 949 Washington, Iowa 52353-0949  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRICT.)  2. X Exhibit A, Origin and Breeding History of the Variety.  3. Exhibit B, Novelty Statement.  4. X Exhibit C, Objective Description of Variety.  5. X Exhibit C, Objective Description of Variety.  6. X Exhibit E, Statement of the Basis of Applicant's Ownership.  7. Seed Sample (2,500 viable untreated seeds). Date Seed Sample (2,500 viable untreated seeds). Date Seed Sample (3,500 viable untreated seeds). Date Seed Sa	mailed to Plant of the United Sinetry NAME ONL  IN NO (# -1  17. IF -YES T	Variety Protection Office lates." Y AS A CLASS OF CERTIFIE NO." skip to item 18 below)		ON BEYOND BREEDER SEED?		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN  YES (IT "YES." Ihrough Plant Variety Protection Act Pai	THE U.S.? lent Act. Give da	ue)				
YES (II "YES." give names of countries and dates) United S7  The applicant(s) declare(s) that a viable sample of basic seeds of the request in accordance with such regulations as may be applicable.  The undersigned applicant(s) is (are) the owner(s) of this sexuall uniform, and stable as required in section 41, and is entitled to proportionally is (are) informed that false representation herein can	ates, Fe nis variety wil ly reproduced tection under t	bruary, 1992  I be furnished with the novel plant variety, and the provisions of sections.	application and believets 142 of the Pla	and will be replenished upon that the variety is distinct,		
				DATE		
SIGNATURE OF APPLICANT (O'ME) SIII	Soyla	ean Research	Dir.	11/2/92		
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR					

#### EXHIBIT A

### Origin and Breeding History of S62-66

In 1981 the Coker breeding group at Hartsville, SC made the cross Co  $80\text{--}764 \times D77\text{--}5090$  and the following year the Mid-South breeding group at West Memphis, AR made the backcross Co  $80\text{--}764 \times D77\text{--}5090$ ) from which the variety S62--66 is derived. Co  $80\text{--}764 \times D77\text{--}5090$  was released as the variety "Coker 485", while  $D77\text{--}5090 \times D77\text{--}5090 \times D$ 

The F1 was advanced to the F2 in the field at West Memphis, during 1983, and the F2 and F3 generations were advanced using a modified single seed descent in two greenhouse plantings at Hartsville, SC during the winter of 1983-84. The F4 generation was subsequently grown in the field at Clarkedale, AR during 1984, as F4 rows #105-114, and single plant selections were made at harvest. progeny from these plants were evaluated for resistance to race 14 of soybean cyst nematode during the winter of 1984-85, and resistant F5 lines were grown in progeny rows in the field at Bay, AR during 1985. One row # 13,641 was selected, harvested in bulk and designated as Co 86m-902. From 1986-88, Co 86m-902 was tested in yield trials throughout the Mid-South and Southeastern United During this period, the line was characterized as possessing purple flowers, tawny pubescence, tan pods and seed with the absence of a seed coat luster and a hilum with a black pigmentation. It was further established that Co 86m-902 was susceptible to <u>Phytophthora</u> rot but tolerant under conditions. A similar result has been established for the reaction to Stem canker caused by Diaporthe phaseolorum var meridionalis. Co 86m-902 was further evaluated in advanced trials across a wide range of environments from 1990-91 under the experimental designation X9161, and based on its yield superiority and disease resistance, it was released in 1992 as S62-66.

Breeder's seed was produced in 1990 by bulking together seed from similar plant row progenies. Foundation seed was produced and approved by the Arkansas State Plant Board in 1991. Varietal purity will be maintained through routine roguing or by the use of progeny rows as required.

S62-66 is a uniform, stable variety except that it may contain plants with white flowers at a frequency of 1/5,000. During five years of testing and four years of seed increase, we have observed no other off-types except for minor environmentally induced variation in the intensity of hilum pigmentation.

#### EXHIBIT B

Novelty Statement for the Variety S62-66 Soybeans

Soybean variety S62-66 is most similar to the varieties Coker 485 and S59-60. It can be differentiated from Coker 485 on the basis of resistance to race 14 of the soybean cyst nematode. S62-66 is resistant and Coker 485 is susceptible. It can be differentiated from S59-60 on the basis of seed coat luster and seed peroxidase activity. S62-66 has a dull seed coat and a low seed peroxidase activity, S59-60 has a shiny seed coat and a high, heterogeneous seed peroxidase reaction.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

## **OBJECTIVE DESCRIPTION OF VARIETY**

SOYBEAN (Glycine max L.)

307827	Tre (Gryomo max 21)	D. C. D. C.
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	Co86-902; X9161	S62-66
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)	FOR OFFICIAL USE ONLY PVPO NUMBER
P.O.Box 949, Washington, Iowa 52353-0949		
Attention: John C. Thorne		9300019
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described place a zero in the first box w	below. When the number of significant digits then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
2   L   W	T	
1 = Spherical (L/W, L/T, and T/W ratios = $\langle 1.2 \rangle$ 3 = Elongate (L/T ratio $\rangle$ 1.2; T/W = $\langle 1.2 \rangle$	2 = Spherical Flattened 4 = Elongate Flattened	{L/W ratio > 1.2; L/T ratio = < 1.2} {L/T ratio > 1.2; T/W > 1.2}
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bl	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	· · · · · · · · · · · · · · · · · · ·	
1 = Low 2 = High	,	·
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	th bronze band below cotyledons; 'Coker Hampton 266A')	('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 = Ovate	4 = Other (Specify)	

11.	LEAFL	ET SIZE:				Ç	300019
•	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Mediun	n ('Corsoy 79'; 'Gasoy 17'	)		
						· · · · · · · · · · · · · · · · · · ·	
12.	LEAF (	OLOR:	•				
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Mediun	n Green ('Corsoy 79'; 'Bra	exton')		\$
13.	FLOWE	R COLOR:					····
	2	1 = White 2 = Purple	3 = White with	purple throat			
14.	POD CO	LOR:					
	1	1 = Tan 2 = Brown	3 = Black				
15.	PLANT	PUBESCENCE COLOR:	·				
	2	1 = Gray 2 = Brown (Tawny)					
16.	PLANT	TYPES:					
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermo	ediate ('Amcor'; 'Braxton'	<b>'</b> )	· .	
17.	PLANT	HABIT:					
		1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pe		eterminate ('Will')		•	
18.	MATUR	ITY GROUP:					
0	9	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VII	4 = I I 12 = IX	5 = II 6 = III 13 = X	7 = IV	8 = V	
19,	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Re	sistant)			
	BACT	ERIAL DISEASES:	•				
	2	Bacterial Pustule (Xanthomonas phaseoli v	ar. <i>sojensis)</i>				
	1	Bacterial Blight (Pseudomonas glycinea)					
	2.	Wildfire (Pseudomonas tabaci)					
		L DISEASES:					
1 1 5 5 4 4		Brown Spot (Septoria glycines)					
		Frogeye Leaf Spot (Cercospora sojina)	•	,			
	0		ace 3	Race 4	5 1	Other (Special Susceptible	to common
	0	Target Spot (Corynespora cassiicola)					e unspecified
- 1 % - 1	1	Downy Mildew (Peronospora trifoliorum ve	ar. manshurica)				
arti.	2	Powdery Mildew (Microsphaere diffusa)					
	0	Brown Stem Rot (Cephalosporium gregatur	n)				
	而	Stem Canker (Diaporthe phaseolorum var.	caulivora)	•			

19. DISEASE R	EACTION: (Enter 0 = Not Tested; 1 = Susceptible	; 2 = Resistant) (Continued)		0.700016
FUNGAL	DISEASES: (Continued)	•		9300019
1 Poo	and Stem Blight (Diaporthe phaseolorum var; soja	e)		
1 Pur	ple Seed Stain (Cercospora kikuchii)			
0 Rhi	zoctonia Root Rot (Rhizoctonia solani)			
	tophthora Rot (Phytophthora megasperma var. soj.	امه		
1 Rad		0 Race 4 0 Race		7
0 Rac		I Trace	Flace 6	Race 7
VIRAL DI	Sind Jobson			-
	Blight (Tobacco Ringspot Virus)			
	ow Mosaic (Bean Yellow Mosaic Virus)		•	
	pea Mosaic (Cowpea Chlorotic Virus)			
F00	Mottle (Bean Pod Mottle Virus)			
O Seed	Mottle (Soybean Mosaic Virus)			
NEMATOR	DE DISEASES:			
Soyt	pean Cyst Nematode (Heterodera glycines)			
1 Race	1 0 Race 2 2 Race 3	0 Race 4 2 Other	(Specify) Race 14	
0 Land	e Nematode (Hopiolaimus Colombus)			
2 Sout	hern Root Knot Nematode (Meloidogyne incognita	)		
0 Nort	nern Root Knot Nematode (Meloidogyne Hapla)			
1 Pean	ut Root Knot Nematode (Meloidogyne arenaria)			
	orm Nematode (Rotylenchulus reniformis)			
	ER DISEASE NOT ON FORM (Specify):			
20. PHYSIOLOGIC	CAL RESPONSES: (Enter 0 = Not Tested; 1 = Sus	ceptible; 2 = Resistant)		
1 Iron (	Chlorosis on Calcareous Soil			
0 Other	(Specify)	·		•
21. INSECT REAC	TION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Reciptant		
	an Bean Beetle (Epilachna varivestis)	Tiesistant,		
	Leaf Hopper (Empoasca fabae)			
Other	(Specify)			
22. INDICATE WH	ICH VARIETY MOST CLOSELY RESEMBLES T	HAT SUBMITTED.		Made Part De extra la California de 20 em 190 e O em 190 em
CHARACTE	R NAME OF VARIETY	CHARACTER	NAME OF VAR	IETY
Plant Shape	S59-60	Seed Coat Luster	Coker 485	
Leaf Shape	Coker 485	Seed Size	Coker 485	
Lest Color	Coker 485	Seed Shape	Coker 485	
Leef Size	S59-60	Seedling Plamentation	Coker 485	
FORM LMGS-470-5	77 (2-82)			

Page 3 of 4

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data							9300019		
VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	151	2:4	82	7.9	12.9	36.6	19.9	16.0	2-4
Coker 485 Name of Similar Variety	149	1.7	79	7.6	12.9	37.3	19.5	15.0	2-4

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

#### EXHIBIT E

## Statement of the Basis of Ownership of S62-66

Soybean variety S62-66 was developed by the soybean breeding staff of Coker's Pedigreed Seed Company, which was purchased by Northrup King Co. in July 1988. The germplasm used in the development of S62-66 is cited in Exhibit A of this application.

Northrup King Co. believes that the variety is novel, as defined by the Plant Variety Protection Act; and therefore, that Northrup King Co. is the sole owner of the variety.